Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

MOBILE DEVICES
NOTEBOOKS

Fujitsu's wide product range helps you to meet today's requirements. The products offer highest reliability, security and ease of use features. Notebooks from Fujitsu are designed with you in mind, mobile, stylish and efficient. The modular concept of the LIFEBOOK, ESPRIMO Mobile and CELSIUS Mobile Series make the systems expandable in a few seconds to suit changing requirements.



SUPERIOR MOBILE WORKSTATION
CELSIUS

	CELSIUS H700
	Workstation power on-the-go
Operating system	Genuine Windows® 7 Professional 64-bit
Chipset	Intel® QM57
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7 820QM, 8 MB, 1.73 GHz Intel® Core™ i7 720QM, 6 MB, 1.6 GHz Intel® Core™ i7 620M, 4 MB, 2.66 GHz Intel® Core™ i5 540M, 3 MB, 2.53 GHz Intel® Core™ i5 520M, 3 MB, 2.4 GHz
Memory	Up to 8 GB, 2 DIMM slot(s), (DDR3), 1333/1066 MHz
Hard disk drive	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 256 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x (SD / MS / MS Pro) Memory card slot; 1 x ExpressCard slot; 1 x PC Card slot (Type I/II); 1 x SmartCard slot; 1 x SIM card slot; 1 x (optional) Modem (RJ-11); 1 x eSATA; 4 x USB 2.0 total; 1 x FireWire (IEEE1394); 1 x Serial (RS-232); 1 x VGA; 1 x DisplayPort; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 2 x digital array microphones Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for port replicator; 2 x Kensington Lock support
Display	39.6 cm (15.6-inch); LED backlight; (HD+); anti-glare display; magnesium; 1600 x 900 pixel 39.6 cm (15.6-inch); LED backlight; (Full HD); anti-glare display; magnesium; 1920 x 1080 pixel
Graphics brand name	NVIDIA® Quadro FX 880M
Graphics features	DualView
Dedicated video memory	1 GB (GDDR3 VRAM)
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera
Weight	2.75 kg – Actual weight may vary depending on configuration
Dimensions (W x D x H)	372 x 255 x 36 mm
Runtime 1st / +2nd battery	Up to 6 / 7 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Integrated 3G/UMTS	Sierra Wireless Gobi 2000
Antennas	2 Dual band WLAN antennas, 2 UMTS antenna
LAN	10/100/1000 MBit/s Intel® 82577 LM
Modem type	Optional: 56 K V.92 modem MDC1.5
Modular drive name	2nd hard disk drive, 2nd battery, Blu-ray Disc Triple Writer, DVD Super Multi
Special features	Common port replicator, Integrated fingerprint sensor, Modular bay, ShockSensor, SmartCard reader, Spill-resistant keyboard, Blu-ray Disc™ drive, TPM
Standard Warranty Duration	3 years
Service Level*	Collect & return service / Bring-in service (depending on country)

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

SUPERIOR TABLET PCS / CONVERTIBLES
LIFEBOOK

	LIFEBOOK T900	LIFEBOOK T4410
	Your ultimate mobile meeting tool	Twist to Touch
Operating system	Genuine Windows® 7 Professional 64-bit TwinLoad Windows® XP Tablet PC Edition 2005 (DVD)	Genuine Windows® 7 Professional 64-bit Genuine Windows Vista® Business 32-bit TwinLoad Windows® XP Tablet PC Edition 2005 (DVD)
Chipset	Intel® QM57	Intel® GM45
Processor type, second level cache, Processor frequency	Intel® Core™ i7 620M, 4 MB, 2.66 GHz Intel® Core™ i5 540M, 3 MB, 2.53 GHz Intel® Core™ i5 520M, 3 MB, 2.4 GHz Intel® Celeron® P4500, 2 MB, 1.86 GHz	Intel® Core™2 Duo P8800, 3 MB, 2.66 GHz Intel® Core™2 Duo P8700, 3 MB, 2.53 GHz Intel® Core™2 Duo T9600, 6 MB, 2.8 GHz
Memory	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz
Hard disk drive	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T.	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 64 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x (SD / MMC / MS / MS Pro / XD) Memory card slot; 1 x (34mm and 54mm supported) ExpressCard slot; 1 x SmartCard slot; 1 x optional SIM card slot; 1 x optional Modem (RJ-11); 3 x USB 2.0 total; 1 x FireWire (IEEE1394); 1 x VGA; 1 x HDMI (via port rep); 1 x Ethernet (RJ-45); 1 x Audio: line-out / headphone; 1 x Docking connector for port replicator; 2 x Kensington Lock support	1 x (SD / MMC / MS / MS Pro / XD) Memory card slot; 1 x ExpressCard slot; 1 x SIM card slot; 3 x USB 2.0 total; 1 x FireWire (IEEE1394); 1 x VGA; 1 x HDMI; 1 x Audio: line-in / microphone; 2 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for port replicator; 1 x Kensington Lock support
Display	33.8 cm (13.3-inch); TFT dual digitizer; (WXGA); anti-glare display; 1280 x 800 pixel 33.8 cm (13.3-inch); TFT active digitizer; (WXGA); glossy or anti-glare ("Berliner Glass") display; 1280 x 800 pixel	30.7 cm (12.1-inch); TFT; (WXGA); LED anti-glare display; 1280 x 800 pixel
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Camera	Optional: Built-in webcam, 2.0 megapixel	Optional: Built-in webcam, 1.3 megapixel
Weight	2.0 kg – Actual weight may vary depending on configuration	1.79 kg – Actual weight may vary depending on configuration
Dimension (W x D x H)	319 x 244 x 37 mm (without foot)	297 x 233 x 36.4 mm (without foot)
Runtime 1st / +2nd battery	Up to 7 / 11 h	Up to 6 / 9 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones	Stereo speakers, 2 internal microphones
Integrated 3G/UMTS (optional)	Optional: Sierra Wireless Gobi 2000	Sierra Wireless Gobi 2000
WLAN	Atheros Minicard b/g/n Intel® Wireless WiFi Link 6200 802.11 ABGN	Atheros Minicard b/g/n Intel® Wireless WiFi Link 5300 AGN 11/13ch
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth	3 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth
Bluetooth	Optional: Bluetooth 2.1	Optional: Bluetooth 2.1
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM	Built-in 10/100/1000 MBit/s Broadcom BCM57780
Modem type	Optional: 56 K V.92 modem MDC1.5	-
Modular bay options	DVD Super Multi, 2nd battery, 2nd hard disk drive	DVD Super Multi, 2nd battery, 2nd hard disk drive
Special features	Advanced Theft Protection (ATP), Multiple Touch, Bi-directional rotatable display, Ambient light sensor	Multiple touch, Bi-directional rotatable display, ENERGY STAR® 5.0, EPEAT® Gold, GS certified, Ambient light sensor
Standard Warranty Duration	2 years	2 years
Service Level*	Collect & return service / Bring-in service (depending on country)	Collect & return service / Bring-in service (depending on country)

SUPERIOR TABLET PCS / CONVERTIBLES
LIFEBOOK / STYLISTIC

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK T4310	STYLISTIC ST6012
	Twist to Touch	The ideal mobile solution for indoors and outdoors
Operating system	Genuine Windows® 7 Home Premium 64-bit Genuine Windows Vista® Home Premium	Genuine Windows® 7 Professional 32-bit Genuine Windows Vista® Business 32-bit TwinLoad Windows® XP Tablet PC Edition 2005 (DVD)
Chipset	Intel® GM45	Intel® GS45
Processor Type, Second Level cache, Processor frequency	Intel® Core™2 Duo P8700, 3 MB, 2.53 GHz Intel® Core™2 Duo T6600, 2 MB, 2.2 GHz Intel® Pentium® T4400, 1 MB, 2.2 GHz Intel® Celeron® 900, 1 MB, 2.2 GHz	Intel® Core™2 Duo SU9400, 3 MB
Memory	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz	Up to 4 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz
Hard disk drive	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 64 GB, 2.5-inch, S.M.A.R.T.	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 80 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x (SD / MMC / MS / MS Pro / XD) Memory card slot 1 x ExpressCard slot 1 x SIM card slot 3 x USB 2.0 total 1 x FireWire (IEEE1394) 1 x VGA 1 x HDMI 1 x Audio: line-in / microphone 2 x Internal microphones 1 x Audio: line-out / headphone 1 x Kensington Lock support	1 x (SD) Memory card slot 1 x PC Card slot (Type I/II) 1 x SmartCard slot 1 x SIM card slot 2 x USB 2.0 total 1 x VGA 1 x Ethernet (RJ-45) 1 x Audio: line-in / microphone 2 x Internal microphones 1 x Audio: line-out / headphone 1 x Docking connector for port replicator 1 x Kensington Lock support
Display	30.7 cm (12.1-inch); TFT; (WXGA); LED anti-glare display; 1280 x 800 pixel	30.7 cm (12.1-inch); TFT; WXGA; anti-glare display; 1280 x 800 pixel
Graphics brand name	Intel® HD Graphics	Mobile Intel® GMA 4500M HD
Camera	Optional: Built-in webcam, 1.3 megapixel	Optional: Built-in webcam, 1.3 megapixel
Weight	1.79 kg – Actual weight may vary depending on configuration	1.6 kg – Actual weight may vary depending on configuration
Dimensions (W x D x H)	297 x 233 x 36.4 mm (without foot)	325 x 220 x 23.8 - 31.7 mm
Runtime 1st / +2nd battery	Up to 5 / 8 h	Up to 9 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones	Mono speaker
Integrated 3G/UMTS	Sierra Wireless Gobi 2000	Sierra Wireless MC8790
WLAN	Atheros Minicard b/g/n Intel® Wireless WiFi Link 5300 AGN 11/13ch	Atheros Minicard b/g 802.11 b/g Intel® Wireless WiFi Link 5300 AGN 11/13ch
LAN	Built-in 10/100/1000 MBit/s Broadcom BCM57780	Built-in 10/100/1000 MBit/s Intel® 82567LF
Bluetooth	Optional: Bluetooth 2.1	Optional: Bluetooth 2.1
Modular bay options	DVD Super Multi, 2nd battery, 2nd hard disk drive	-
Special features	Multiple touch, Bi-directional rotatable display, ENERGY STAR® 5.0, EPEAT® Gold, Ambient light sensor	Active digitizer, Integrated fingerprint sensor, SmartCard reader
Standard Warranty Duration	1 year / 2 years (depending on country)	2 years
Service Level*	Collect & return service	Collect & return service / Bring-in service (depending on country)

SUPERIOR NOTEBOOKS
LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK P770	LIFEBOOK S760
	The slim companion to go	Boundless mobility on the road
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Chipset	Intel® QS57	Intel® QM57
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7 620UM, 4 MB, 1.06 GHz	Intel® Core™ i7 620M, 4 MB, 2.66 GHz Intel® Core™ i5 540M, 3 MB, 2.53 GHz Intel® Core™ i5 520M, 3 MB, 2.4 GHz Intel® Core™ i3 330M, 3 MB, 2.13 GHz
Memory	Up to 4 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz
Hard disk drive	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T.	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x (SD) Memory card slot 1 x ExpressCard slot 1 x SIM card slot 3 x USB 2.0 total 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 2 x Internal microphones 1 x Audio: line-out / headphone 1 x Docking connector for port replicator 1 x Kensington Lock support	1 x (SD) Memory card slot 1 x ExpressCard slot 1 x SIM card slot 1 x optional Modem (RJ-11) 3 x USB 2.0 total 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 2 x Internal microphones 1 x Audio: line-out / headphone 1 x Docking connector for port replicator 1 x Kensington Lock support
Display	30.7 cm (12.1-inch); TFT; (WXGA); LED anti-glare display; 1280 x 800 pixel	33.8 cm (13.3-inch); TFT; (HD); LED anti-glare display; compound; 1366 x 768 pixel 33.8 cm (13.3-inch); TFT; (HD); LED anti-glare display; magnesium; 1366 x 768 pixel
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Camera	Built-in webcam, 2.0 megapixel	Optional: Built-in webcam, 1.3 megapixel, VGA camera
Weight	1.4 kg – Actual weight may vary depending on configuration	1.6 kg (1.9 kg with compound display) – Actual weight may vary depending on configuration
Dimensions (W x D x H)	282 x 215 x 29.9 mm	314 x 222 x 30.5 mm (34 mm with compound display)
Runtime 1st / +2nd battery	Up to 7:15 h	Up to 8 / 12 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Internal microphone	Stereo speakers, 2 internal microphones
Integrated 3G/UMTS	Optional: Sierra Wireless Gobi 2000	Optional: Sierra Wireless Gobi 2000
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM	Built-in 10/100/1000 MBit/s Intel® 82577 LM
Modem type	-	Optional: 56 K V.92 modem MDC1.5
Bluetooth	Optional: Bluetooth 2.1	Optional: Bluetooth 2.1
Modular bay options	-	DVD Super Multi, 2nd battery
Special features	Advanced Theft Protection (ATP), Different colour options, Integrated fingerprint sensor, SSD optional	Advanced Theft Protection (ATP), Optional integrated fingerprint sensor, Scroll wheel, Anytime USB charge, SSD optional
Standard Warranty Duration	2 years	2 years
Service Level*	Collect & return service / Bring-in service (depending on country)	Collect & return service / Bring-in service (depending on country)

SUPERIOR NOTEBOOKS
LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK E780 EXTERNAL GRAPHICS
	The mobile top performer
Operating system	Genuine Windows® 7 Professional 64-bit TwinLoad Windows® XP Professional (DVD)
Chipset	Intel® QM57
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7 620M, 4 MB, 2.66 GHz Intel® Core™ i5 540M, 3 MB, 2.53 GHz Intel® Core™ i5 520M, 3 MB, 2.4 GHz
Memory	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 1333 MHz
Hard disk drive	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x (SD / MS / MS Pro) Memory card slot; 1 x ExpressCard slot; 1 x PC Card slot (Type I/II); 1 x SmartCard slot; 1 x SIM card slot; 1 x optional Modem (RJ-11); 1 x eSATA; 4 x USB 2.0 total; 1 x FireWire (IEEE1394); 1 x Serial (RS-232); 1 x VGA; 1 x DisplayPort; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 2 x (digital array microphones) Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for port replicator; 2 x Kensington Lock support
Display	39.6 cm (15.6-inch); LED backlight; (HD+); anti-glare display; magnesium; 1600 x 900 pixel 39.6 cm (15.6-inch); LED backlight; (HD); anti-glare display; compound; 1366 x 768 pixel 39.6 cm (15.6-inch); LED backlight; (HD); anti-glare display; magnesium; 1366 x 768 pixel
Graphics brand name	NVIDIA® GeForce® GT 330M
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera
Weight	2.75 kg – Actual weight may vary depending on configuration
Dimensions (W x D x H)	372 x 255 x 36 mm
Runtime 1st / +2nd battery	Up to 5 / 8 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 digital array microphones
Integrated 3G/UMTS	Sierra Wireless Gobi 2000
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM
Modem type	Optional: 56 K V.92 modem MDC1.5
Modular bay options	DVD Super Multi, 2nd battery, 2nd hard disk drive
Special features	Advanced Theft Protection (ATP), Application buttons, Family concept (AC adapter, port replicator, modular bay)
Standard Warranty Duration	2 years
Service Level*	Collect & return service / Bring-in service (depending on country)

SERVICE LEVELS

For today's business leaders and IT executives the question is not only what needs to be done, but how to do it quickly and effectively while still optimizing overall IT spending.

This is where Fujitsu can really help. We can provide you with a complete range of infrastructure services that allow you to deliver on this promise while reducing overall costs, improving ROI and still delivering outstanding service quality for your users.

For more information regarding Managed Services, Integration Services, Maintenance and Support Services or Financial Services please visit **ts.fujitsu.com/services**

Expertise you can count on, wherever and whenever you need it.

* The warranty can be claimed to the extent that the service concerned is available in the respective country. Please note that availability of all services cannot be guaranteed in all countries. The warranty agreed at the time of purchase may differ from the standard warranty stated here. In addition, as the customer you may have a right to legal claims not restricted by these warranty conditions.